SAFETY DATA SHEET

COOL DRY



Section 1. Identification

| GHS product identifier | : COOL DRY |
|----------------------------------|---|
| Product code | : 150806, 150830 |
| SDS # | : BLE00082 |
| Other means of identification | : Not available. |
| Product type | : Liquid. |
| Relevant identified uses of | of the substance or mixture and uses advised against |
| Identified uses | : Vehicle Care This product is intended to be diluted prior to use |
| Supplier/Manufacturer | : DuBois Chemicals, Inc. 3630 E. Kemper Road Cincinnati, Ohio 45241 Phone: 1-800-438-2647 |
| Importer of Record: | Pacific Carwash Systems (2008) Ltd. 30 Bluefin Way West Harbour Auckland 0618, New Zealand |
| Emergency telephone number: | 0800 764 766 (NZ National Poisons Centre) 1-866-923-4919 (US and Canada) 01-651-523-0314 (Int'I and Mexico) |

Section 2. Hazards identification

| | This material is hazardous according to criteria of EPA New Zealand. |
|-----------------------|--|
| EPA Group Standard: | HSR002526 - Cleaning Products (Corrosive) Group Standard |
| Classification of the | FLAMMABLE LIQUIDS - Category 4 SKIN |
| substance or mixture | IRRITATION - Category 2 SERIOUS EYE |
| | DAMAGE - Category 1 |
| HSNO Classification: | 3.1 - FLAMMABLE LIQUIDS – Category D |
| | 6.3 - SKIN IRRITATION – Category A |
| | 6.4 - EYE IRRITATION – Category A (Irritant) |
| | 6.5 - SENSITIZATION – Category B (Skin) |
| | 9.1 - AQUATIC ECOTOXICITY – Category B |
| | This material is classified as hazardous according to criteria in the Hazardous Substances |
| | (Minimum Degrees of Hazard) Regulations 2001 and has been classified according to the |
| | Hazardous Substances (Classifications) Regulations 2001. |
| | This material is classified as a dangerous good according to criteria in New Zealand Standard 5433:2007 Transport of Dangerous Goods on Land. |
| GHS label elements | Standard 5455.2007 Transport of Dangerous Goods of Land. |
| GHS laber elements | |
| Hazard pictograms | |
| | |
| | |
| | |
| Signal word | : Danger |
| Hazard statements | : Combustible liquid. |
| | Causes serious eye damage. |
| | Causes skin irritation. |

| Precautionary statements | |
|--------------------------------------|--|
| Prevention | Wear protective gloves. Wear eye/face protection. Keep away from flames and hot surfaces No smoking. Wash hands thoroughly after handling. |
| Response | : IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. |
| Storage | : Store in a well-ventilated place. Keep cool. |
| Disposal | Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Hazards not otherwise classified: | None known. |

Section 3. Composition/information on ingredients

| Ingredient name | % | CAS number |
|--|---------|------------|
| Distillates (petroleum), straight-run middle | 20 - 30 | 64741-44-2 |
| Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides | 5 - 10 | 61789-77-3 |
| 2-butoxyethanol | 1 - 5 | 111-76-2 |
| Amines, C14-18 and C16-18-unsatd. alkyl, ethoxylated | 1 - 5 | 68155-39-5 |
| Isopropyl alcohol | 1 - 5 | 67-63-0 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. | | | | |
|-------------------------------|--|--|--|--|--|
| Inhalation | : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. | | | | |
| Skin contact | : Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. | | | | |
| Ingestion | : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. | | | | |
| Most important symptoms/ef | fects, acute and delayed | | | | |
| Potential acute health effect | <u>s</u> | | | | |
| Eye contact | : Causes serious eye damage. | | | | |
| Inhalation | : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. | | | | |
| Skin contact | : Causes skin irritation. | | | | |
| Ingestion | : May cause burns to mouth, throat and stomach. | | | | |
| Over-exposure signs/sympt | <u>oms</u> | | | | |
| Eye contact | : Adverse symptoms may include the following:pain watering redness | | | | |
| Inhalation | : No specific data. | | | | |

Section 4. First aid measures

| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur |
|-------------------------------|---|
| Ingestion | : Adverse symptoms may include the following: stomach pains |
| Indication of immediate n | nedical attention and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| See toxicological information | ation (Section 11) |

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use dry chemical, CO ₂ , water spray (fog) or foam. |
| Unsuitable extinguishing media | : Do not use water jet. |
| Specific hazards arising from the chemical | : Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| Personal precautions | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|---------------------------|--|
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods for cleaning up | |
| Small spill | : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

| Handling | Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container. | | | |
|----------|--|--|--|--|
| Storage | : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. | | | |

Section 8. Exposure controls/p

Control parameters

Occupational exposure limits

| Ingredient name | ACGIH | OSHA | Mexico | Canada |
|----------------------|---|--|--|--|
| 2-butoxyethanol | TWA: 20 ppm 8 hours. | TWA: 50 ppm 8 hours. TWA: 240 mg/m ³ 8 hours. | TWA: 20 ppm 8 hours. | TWA: 20 ppm 8 hours. |
| Isopropyl alcohol | TWA: 200 ppm 8 hours. STEL: 400 ppm 15 minutes. | TWA: 400 ppm 8 hours. TWA: 980 mg/m ³ 8 hours. | TWA: 200 ppm 8 hours. STEL: 400 ppm 15 minutes. | TWA: 200 ppm 8 hours. STEL: 400 ppm 15 minutes. |
| Engineering measures | other engineering recommended of | equate ventilation. Use pr g controls to keep worker r statutory limits. The eng ations below any lower e | r exposure to airborne co gineering controls also n | ontaminants below any eed to keep gas, vapor |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. | | | |
| Personal protection | | | | |
| Respiratory | If a risk assessment indicates this is necessary, use a properly fitted, air-purifying or airfed respirator complying with an approved standard. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. | | | |
| Hands | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. | | | |
| Eyes | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: splash goggles | | | |
| Skin | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. | | | |

Date of issue/Date of revision

Section 8. Exposure controls/personal protection

```
Environmental exposure controls
```

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Personal protective equipment (Pictograms)



Section 9. Physical and chemical properties

ŝ

Appearance

| Appearance | |
|--|---|
| Physical state | : Liquid. [Aqueous solution] |
| Color | : Yellow. |
| Odor | : Fruity. |
| Odor threshold | : Not available. |
| рН | : 7.5 |
| Melting point | : Not available. |
| Boiling point | : Not available. |
| Flash point | Closed cup: 61 to 71°C (141.8 to 159.8°F) [Tagliabue (ASTM D56)] [Product does not sustain combustion.] |
| Burning time | : Not applicable. |
| Burning rate | : Not applicable. |
| Evaporation rate | : Not available. |
| Flammability (solid, gas) | : Slightly flammable in the presence of the following materials or conditions: open flames, sparks and static discharge. |
| Lower and upper explosive (flammable) limits | : Not available. |
| Vapor pressure | : Not available. |
| Vapor density | : Not available. |
| Relative density | : 0.91 |
| Solubility | : Easily soluble in the following materials: cold water and hot water. |
| Solubility in water | : Not available. |
| Partition coefficient: n- octanol/water | : Not available. |
| Auto-ignition temperature | : Not available. |
| Decomposition temperature | : Not available. |
| Viscosity | : Not available. |
| Elemental Phosphorus | : 0 % |
| VOC content | : 9 % [CARB - Consumer products] |
| | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. | | | | | | |
|------------------------------------|--|---|----------------------|--|-----|--|--|
| Chemical stability | : The product is stable. | | | | | | |
| Possibility of hazardous reactions | : Under norm | al conditions of storage a | nd use, hazardous i | reactions will not occur. | | | |
| Conditions to avoid | | sible sources of ignition (er, drill, grind or expose c | | not pressurize, cut, weld, sources of ignition. | | | |
| Incompatible materials | : Slightly read reducing ma | | the following materi | als: oxidizing materials and | | | |
| Date of issue/Date of revision | : 4/6/2021 | Date of previous issue | : 6/2/2015 | Version : 2 | 6/9 | | |

Section 10. Stability and reactivity

| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|----------------------------------|--|
| Storage | : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 11. Toxicological information

Inform

Potential immediate

Long term exposure

Potential delayed effects

effects

| Information on toxicological e | ffects | | | | | | |
|--|--|------------------|-----------------|----------------|-------------|------|--|
| Carcinogenicity | | | | | | | |
| Classification | | | | | | | |
| Product/ingredient name | ACGIH | IARC | EPA | NIOSH | NTP | OSHA | |
| 2-butoxyethanol Isopropyl alcohol | A3 A4 | 3 3 | - | - | - | | |
| Information on the likely routes of exposure | : Dermal cont | act. Eye conta | ct. Inhalation. | | | | |
| Potential acute health effects | | | | | | | |
| Eye contact | : Causes serious eye damage. | | | | | | |
| Inhalation | : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. | | | | | | |
| Skin contact | : Causes skin i | rritation. | | | | | |
| Ingestion | : May cause bu | urns to mouth, t | throat and sto | mach. | | | |
| Symptoms related to the phys | ical, chemical a | and toxicologi | cal character | <u>ristics</u> | | | |
| Eye contact | : Adverse symp pain watering redness | otoms may incl | ude the follow | /ing: | | | |
| Inhalation | : No specific data. | | | | | | |
| Skin contact | Adverse symptoms may include the following: pain or irritation redness blistering may occur | | | | | | |
| Ingestion | : Adverse symptistomach pair | | ude the follow | /ing: | | | |
| Delayed and immediate effect | s and also chro | nic effects fro | om short and | long term expo | <u>sure</u> | | |
| Short term exposure | | | | | | | |

| Potential immediate effects | : Not availab | le. | | |
|--------------------------------|----------------|--------------------------------|-------------|--|
| Potential delayed effects | : Not availabl | e. | | |
| Potential chronic health effe | <u>ects</u> | | | |
| Not available. | | | | |
| General | : No known | significant effects or critica | al hazards. | |
| Carcinogenicity | : No known | significant effects or critica | al hazards. | |
| Mutagenicity | : No known s | significant effects or critica | l hazards. | |
| Date of issue/Date of revision | : 4/6/2021 | Date of previous issue | : 6/2/2015 | |

: Not available.

: Not available.

Section 11. Toxicological information

- Teratogenicity
- : No known significant effects or critical hazards.
- **Developmental effects**

Acute toxicity estimates

- : No known significant effects or critical hazards.
- Fertility effects
- No known significant effects or critical hazards.

Numerical measures of toxicity

| Route | ATE value | |
|---------------------|---------------|--|
| Oral | 2661.8 mg/kg | |
| Dermal | 19288.3 mg/kg | |
| Inhalation (vapors) | 223.1 mg/l | |

Section 12. Ecological information

Ecotoxicity

: Not available.

Aquatic ecotoxicity

Not available.

Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA classification : D001 (Flammable)

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

| Regulatory information | UN number | Proper shipping name | Classes | PG* | Label | Additional information |
|------------------------|-----------|--|---------|-----|--|------------------------|
| New Zealand Class | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides) | 9 | | V V | - |
| ADG Class | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides) | 9 | | estimation of the second secon | - |

| UN Class | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides) | 9 | | | - |
|---------------|--------|--|---|-----|--|---------------------------|
| ADR/RID Class | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides) | 9 | 111 | | <u>Tunnel code</u> (E) |
| IATA Class | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides) | 9 | 111 | ************************************** | - |
| | | | | | | |

IATA/IMDG/DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Section 15. Regulatory information

New Zealand Inventory of All components are listed or exempted. Chemicals (NZIoC) HSNO Approval Number : Not available. HSNO Group Standard : HSR002526 - Cleaning Products (Corrosive) Group Standard **HSNO Classification :** 3.1 - FLAMMABLE LIQUIDS - Category C 6.1 - ACUTE TOXICITY: ORAL - Category E 6.3 - SKIN IRRITATION - Category A 6.4 - EYE IRRITATION - Category A (Irritant) 9.1 - AQUATIC ECOTOXICITY - Category A **U.S. Federal regulations** : TSCA 12(b) one-time export: No products were found. TSCA 12(b) annual export notification: No products were found. United States inventory (TSCA 8b): CERCLA: Hazardous substances.: 2-butoxyethanol: No RQ is being assigned to the generic or broad class.; **EPA Registration Number** : Not available. **Clean Air Act Section 112** (b) Hazardous AirPollutants (HAPs)

| Date of issue/Date of revision | : 4/6/2021 | Date of previous issue | : 6/2/2015 | Version : 2 | 9/9 |
|--------------------------------|------------|------------------------|------------|-------------|-----|
|--------------------------------|------------|------------------------|------------|-------------|-----|

SARA 302/304

: Listed

Composition/information on ingredients

No products were found.

SARA 304 RQ SARA 311/312 : Not applicable.

Date of issue/Date of revision

Safety, health and environmental regulations specified for the product.

All components are listed or exempted.

Australia inventory (AICS): All components are listed or exempted. : No known specific national and/or regional regulations applicable to this product (including its ingredients

Section 16. Other information

| HISLUI |
|---------------|
|---------------|

| Date of printing | : 4/6/2021 |
|--------------------------------|------------|
| Date of issue/Date of revision | : 4/6/2021 |
| Date of previous issue | : 6/2/2015 |
| Version | : 2 |
| Notice to reader | |

Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.